

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("aminoindan\$").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/28 06:38
L2	1105	aminoindan\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/28 06:38
L3	1650	metabotropic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/28 06:38
L4	482	562/433.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/28 06:38
L5	1030	514/567.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/28 06:38
L6	15	aminoindan\$ and metabotropic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/28 06:38
L7	5	("3494915").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/28 06:38
L8	5	("3532744").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/28 06:38
L9	0	("3532744.pn.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/28 06:38
L10	4	("3532744").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/28 06:40
L11	2	("5916920").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/28 06:41

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	0	("aminoindan\$").PN.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
2	BRS	L2	1105	aminoindan\$	US- PGPUB; USPAT; EPO; JPO; DERWEN T
3	BRS	L3	1650	metabotropic	US- PGPUB; USPAT; EPO; JPO; DERWEN T
4	BRS	L4	482	562/433.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T
5	BRS	L5	1030	514/567.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T

	Time Stamp	Comments	Error Definition	Errors
1	2005/02/28 06:38			
2	2005/02/28 06:38			
3	2005/02/28 06:38			
4	2005/02/28 06:38			
5	2005/02/28 06:38			

	Type	L #	Hits	Search Text	DBs
6	BRS	L6	15	aminoindan\$ and metabotropic	US- PGPUB; USPAT; EPO; JPO; DERWEN T
7	IS&R	L7	5	("3494915").PN.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
8	IS&R	L8	5	("3532744").PN.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T
9	IS&R	L9	0	("3532744.pn.").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T
10	IS&R	L10	4	("3532744").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T

	Time Stamp	Comments	Error Definition	Errors
6	2005/02/28 06:38			
7	2005/02/28 06:38			
8	2005/02/28 06:38			
9	2005/02/28 06:38			
10	2005/02/28 06:40			

	Type	L #	Hits	Search Text	DBs
11	IS&R	L11	2	("5916920").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T

	Time Stamp	Comments	Error Definition	Errors
11	2005/02/28 06:41			

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1623PAZ

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 SEP 01 New pricing for the Save Answers for SciFinder Wizard within  
STN Express with Discover!  
NEWS 4 OCT 28 KOREAPAT now available on STN  
NEWS 5 NOV 30 PHAR reloaded with additional data  
NEWS 6 DEC 01 LISA now available on STN  
NEWS 7 DEC 09 12 databases to be removed from STN on December 31, 2004  
NEWS 8 DEC 15 MEDLINE update schedule for December 2004  
NEWS 9 DEC 17 ELCOM reloaded; updating to resume; current-awareness  
alerts (SDIs) affected  
NEWS 10 DEC 17 COMPUAB reloaded; updating to resume; current-awareness  
alerts (SDIs) affected  
NEWS 11 DEC 17 SOLIDSTATE reloaded; updating to resume; current-awareness  
alerts (SDIs) affected  
NEWS 12 DEC 17 CERAB reloaded; updating to resume; current-awareness  
alerts (SDIs) affected  
NEWS 13 DEC 17 THREE NEW FIELDS ADDED TO IFIPAT/IFIUDE/IFICDB  
NEWS 14 DEC 30 EPFULL: New patent full text database to be available on STN  
NEWS 15 DEC 30 CAPLUS - PATENT COVERAGE EXPANDED  
NEWS 16 JAN 03 No connect-hour charges in EPFULL during January and  
February 2005  
NEWS 17 FEB 25 CA/CAPLUS - Russian Agency for Patents and Trademarks  
(ROSPATENT) added to list of core patent offices covered  
NEWS 18 FEB 10 STN Patent Forums to be held in March 2005  
NEWS 19 FEB 16 STN User Update to be held in conjunction with the 229th ACS  
National Meeting on March 13, 2005  
  
NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT  
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may  
result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 07:27:36 ON 28 FEB 2005

=> file reg



COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 07:27:48 ON 28 FEB 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 25 FEB 2005 HIGHEST RN 838086-80-9  
DICTIONARY FILE UPDATES: 25 FEB 2005 HIGHEST RN 838086-80-9

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more  
information enter HELP PROP at an arrow prompt in the file or refer  
to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>


Uploading C:\Documents and Settings\PZucker\My Documents\Examination Auxillary  
files\10019890\10019890 2nd action.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> search l1 sss sam

SAMPLE SEARCH INITIATED 07:28:34 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1647 TO ITERATE

60.7% PROCESSED 1000 ITERATIONS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 30506 TO 35374  
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> search l1 sss full  
FULL SEARCH INITIATED 07:28:44 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 33368 TO ITERATE


100.0% PROCESSED 33368 ITERATIONS  
SEARCH TIME: 00.00.01

2 ANSWERS

L3 2 SEA SSS FUL L1

=> d scan


L3 2 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 1H-Indene-1,2-diacetic acid,  $\alpha$ -amino-2,3-dihydro- (9CI)  
MF C13 H15 N O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):2

L3 2 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 1H-Indene-2-acetic acid,  $\alpha$ -amino-1-carboxy-2,3-dihydro- (9CI)  
MF C12 H13 N O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

=> file caplus  
COST IN U.S. DOLLARS  
FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
161.76	161.97

FILE 'CAPLUS' ENTERED AT 07:29:02 ON 28 FEB 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Feb 2005 VOL 142 ISS 10  
FILE LAST UPDATED: 27 Feb 2005 (20050227/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> 13

L4 1 L3

=> d lo4 ti fbib abs

'LO4' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB  
ALL ----- BIB, AB, IND, RE  
APPS ----- AI, PRAI  
BIB ----- AN, plus Bibliographic Data and PI table (default)  
CAN ----- List of CA abstract numbers without answer numbers  
CBIB ----- AN, plus Compressed Bibliographic Data  
DALL ----- ALL, delimited (end of each field identified)  
DMAX ----- MAX, delimited for post-processing  
FAM ----- AN, PI and PRAI in table, plus Patent Family data  
FBIB ----- AN, BIB, plus Patent FAM  
IND ----- Indexing data  
IPC ----- International Patent Classifications  
MAX ----- ALL, plus Patent FAM, RE  
PATS ----- PI, SO  
SAM ----- CC, SX, TI, ST, IT  
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;  
SCAN must be entered on the same line as the DISPLAY,  
e.g., D SCAN or DISPLAY SCAN)  
STD ----- BIB, IPC, and NCL  
  
IABS ----- ABS, indented with text labels  
IALL ----- ALL, indented with text labels  
IBIB ----- BIB, indented with text labels  
IMAX ----- MAX, indented with text labels  
ISTD ----- STD, indented with text labels  
  
OBIB ----- AN, plus Bibliographic Data (original)  
OIBIB ----- OIBIB, indented with text labels  
  
SBIB ----- BIB, no citations  
SIBIB ----- IBIB, no citations  
  
HIT ----- Fields containing hit terms

HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)  
 containing hit terms  
 HITRN ----- HIT RN and its text modification  
 HITSTR ----- HIT RN, its text modification, its CA index name, and  
 its structure diagram  
 HITSEQ ----- HIT RN, its text modification, its CA index name, its  
 structure diagram, plus NTE and SEQ fields  
 FHITSTR ----- First HIT RN, its text modification, its CA index name, and  
 its structure diagram  
 FHITSEQ ----- First HIT RN, its text modification, its CA index name, its  
 structure diagram, plus NTE and SEQ fields  
 KWIC ----- Hit term plus 20 words on either side  
 OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.  
 ENTER DISPLAY FORMAT (BIB):end

=> d 14 ti fbib abs

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN

TI Preparation of 2-aminoindane analogs

AN 2001:31449 CAPLUS

DN 134:86547

TI Preparation of 2-aminoindane analogs

IN Curry, Kenneth

PA IGT Pharma Inc., Can.

SO PCT Int. Appl., 65 pp.

CODEN: PIXXD2


DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	WO 2001002342	A1	20010111	WO 2000-CA770	20000630	
	W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		
	RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG		
	CA 2376476	AA	20010111	CA 1999-2276798	A 19990630	
				CA 2000-2376476	20000630	
				CA 1999-2276798	A 19990630	
				WO 2000-CA770	W 20000630	
EP	1194400	A1	20020410	EP 2000-941844	20000630	
	R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO		
				CA 1999-2276798	A 19990630	
				WO 2000-CA770	W 20000630	
NZ	516467	A	20040326	NZ 2000-516467	20000630	
				CA 1999-2276798	A 19990630	
				WO 2000-CA770	W 20000630	

OS MARPAT 134:86547  
GI



AB 2-Aminoindane analogs I [R1, R2 = H or an acidic group selected from carboxy, phosphono, phosphino, sulfono, sulfino, borono, tetrazolyl, isoxazolyl, -(CH2)n-carboxy, -phosphono, -phosphino, -sulfono, -sulfino, -borono, -tetrazolyl, or -isoxazolyl, where n = 1-6; X is an acidic group selected from carboxy, phosphono, phosphino, sulfono, sulfino, borono, tetrazolyl, or isoxazolyl; Y is a basic group selected from aliphatic or aromatic primary, secondary, or tertiary amino, quaternary ammonium salts, imidazolyl, guanidino, boronoamino, allyl, urea, or thiourea; m = 0 or 1; R3-6 = H, nitro, amino, halo, tritium, trifluoromethyl, trifluoroacetyl, sulfo, carboxy, carbamoyl, or sulfamoyl] or their stereoisomers or pharmaceutically acceptable salts were prepared as modulators of metabotropic glutamate receptors (mGluRs) for use in treating diseases of the central nervous system. Thus, 2-amino-2-carboxy-1-indaneacetic acid (cis and trans isomers) were prepared by a multistep procedure starting from 1,2-phenylenediacetonitrile. The cAMP assay showed that the cis isomer is a Group II/III mGluRs antagonist (EC50 = 1.2x10<sup>-9</sup> M) and the trans isomer is a Group II/III mGluRs agonist (EC50 = 1.1x10<sup>-7</sup> M).

RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	5.35	167.32
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.73	-0.73

FILE 'REGISTRY' ENTERED AT 07:32:50 ON 28 FEB 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 25 FEB 2005 HIGHEST RN 838086-80-9  
DICTIONARY FILE UPDATES: 25 FEB 2005 HIGHEST RN 838086-80-9

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>


Uploading c:\Documents and Settings\PZucker\My Documents\Examination Auxillary files\10019890\10019890 2nd.action complete

L5 STRUCTURE UPLOADED

=> d 15

L5 HAS NO ANSWERS

L5 STR



Structure attributes must be viewed using STN Express query preparation.

=> search 15 sss sam

SAMPLE SEARCH INITIATED 07:33:17 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 650 TO ITERATE

100.0% PROCESSED 650 ITERATIONS  
SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 11471 TO 14529  
PROJECTED ANSWERS: 0 TO 0

L6 0 SEA SSS SAM L5

=> search 15 sss full

FULL SEARCH INITIATED 07:33:31 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 12839 TO ITERATE


100.0% PROCESSED 12839 ITERATIONS  
SEARCH TIME: 00.00.01

5 ANSWERS

L7 5 SEA SSS FUL L5

=> d scan

L7 5 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 2-Indancarboxylic acid, 1,3-dihydroxy-2-nitro-, ethyl ester (8CI)  
MF C12 H13 N O6




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):5


L7 5 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 1H-Indene-1-acetic acid, 2-amino-2-carboxy-2,3-dihydro-, (1R,2R)-rel-  
 (9CI)  
 MF C12 H13 N O4

Relative stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L7 5 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 2-Indancarboxylic acid, 2-amino-1,3-dihydroxy-, ethyl ester (8CI)  
 MF C12 H15 N O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L7 5 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 1H-Indene-1,2-dicarboxylic acid, 2-amino-2,3-dihydro- (9CI)  
 MF C11 H11 N O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L7 5 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 1H-Indene-1-acetic acid, 2-amino-2-carboxy-2,3-dihydro-, (1R,2S)-rel-  
 (9CI)  
 MF C12 H13 N O4

Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

=> file caplus  
 COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
161.76	329.08

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-0.73

CA SUBSCRIBER PRICE

FILE 'CAPLUS' ENTERED AT 07:33:52 ON 28 FEB 2005  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Feb 2005 VOL 142 ISS 10



This file contains CAS Registry Numbers for easy and accurate substance identification.

=> 17

L8 2 L7

=> d scan

L8 2 ANSWERS CAPLUS COPYRIGHT 2005 ACS on STN  
CC 24 (Alicyclic Compounds)  
TI Synthesis of cyclic amino acids from dialdehydes and nitroacetates  
ST AMINO ACIDS CYCLIC; CYCLOHEXANE AMINO CARBOXYLIC ACIDS  
IT Ring closure  
(in alkyl nitroacetate reaction with dialdehydes)  
IT Aldehydes, reactions  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(with alkyl nitroacetates, of di-, ring closure by)  
IT 15151-91-4P 15151-92-5P 15151-93-6P 15151-94-7P  
15151-95-8P 15151-96-9P 15151-97-0P 16411-78-2P  
RL: SPN (Synthetic preparation); PREP (Preparation)  
(preparation of)  
IT 625-75-2D, Acetic acid, nitro-, alkyl esters  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(reaction with dialdehydes, ring closure by)

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):2

L8 2 ANSWERS CAPLUS COPYRIGHT 2005 ACS on STN  
IC ICM C07C229-50  
ICS C07C229-36; A61K031-195; A61K031-196; A61P025-28; C07C255-47;  
C07C255-42; C07C255-44; C07D235-02; C07D233-78  
CC 34-2 (Amino Acids, Peptides, and Proteins)  
Section cross-reference(s): 1, 24  
TI Preparation of 2-aminoindane analogs  
ST indane carboxy amino prepn modulator glutamate receptor; indaneacetic acid  
aminocarboxy prepn modulator glutamate receptor; indanecarboxylic acid  
aminocarboxy prepn modulator glutamate receptor  
IT Brain, disease  
(Gilles de la Tourette syndrome; preparation of aminoindane analogs as  
modulators of metabotropic glutamate receptors)  
IT Nervous system  
(Huntington's chorea; preparation of aminoindane analogs as modulators of  
metabotropic glutamate receptors)  
IT Nervous system  
(amyotrophic lateral sclerosis; preparation of aminoindane analogs as  
modulators of metabotropic glutamate receptors)  
IT Heart, disease  
(arrest; preparation of aminoindane analogs as modulators of metabotropic  
glutamate receptors)  
IT Mental disorder  
(attention deficit disorder; preparation of aminoindane analogs as  
modulators of metabotropic glutamate receptors)  
IT Heart, disease  
(bypass surgery and grafting; preparation of aminoindane analogs as  
modulators of metabotropic glutamate receptors)  
IT Tobacco smoke  
(cessation; preparation of aminoindane analogs as modulators of metabotropic  
glutamate receptors)  
IT Analgesics  
(chronic pain; preparation of aminoindane analogs as modulators of  
metabotropic glutamate receptors)

IT Mental disorder  
(cognitive; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Mental disorder  
(dementia, AIDS-induced; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Nervous system  
(disease; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Cognition

Sleep  
(disorder; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Brain, disease  
(edema; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Bladder  
(incontinence; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Brain, disease  
(ischemia; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Mental disorder  
(manic bipolar disorder; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Glutamate receptors  
RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)  
(metabotropic; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Headache  
(migraine; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Hypoglycemia  
(neuronal damage; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Mental disorder  
(obsession-compulsion; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Anxiety  
(panic disorder; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Hypoxia, animal  
(perinatal; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Alzheimer's disease

Anticonvulsants

Antidepressants

Anxiety

Drug tolerance

Drug withdrawal

Eye, disease

Mental disorder

Parkinson's disease

Schizophrenia

Vomiting  
(preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Mental disorder  
(psychosis; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Eye, disease  
(retinopathy; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Muscle, disease  
(spasm; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Brain, disease  
(stroke; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Nervous system  
(tardive dyskinesia; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT Head  
Spinal cord  
(trauma; preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT 316810-53-4P 316810-54-5P 316810-55-6P  
316810-59-0P 316810-62-5P  
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT 105-36-2, Ethyl bromoacetate 151-50-8, Potassium cyanide 506-87-6, Ammonium carbonate 613-73-0, 1,2-Benzenediacetonitrile  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

IT 7500-53-0P, 1,2-Benzenediacetic acid 19109-69-4P 104620-34-0P  
316810-51-2P 316810-52-3P 316810-56-7P 316810-58-9P 316810-60-3P  
316810-61-4P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation of aminoindane analogs as modulators of metabotropic glutamate receptors)

ALL ANSWERS HAVE BEEN SCANNED

=> 17

L9 2 L7

=> d 19 1-2 ti fbib abs

L9 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

TI Preparation of 2-aminoindane analogs

AN 2001:31449 CAPLUS

DN 134:86547

TI Preparation of 2-aminoindane analogs

IN Curry, Kenneth

PA IGT Pharma Inc., Can.

SO PCT Int. Appl., 65 pp.

CODEN: PIXXD2

DT Patent

LA English


FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001002342	A1	20010111	WO 2000-CA770	20000630
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,			

CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

CA 2376476	AA	20010111	CA 1999-2276798	A	19990630
			CA 2000-2376476		20000630
			CA 1999-2276798	A	19990630
			WO 2000-CA770	W	20000630
EP 1194400	A1	20020410	EP 2000-941844		20000630
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO					
			CA 1999-2276798	A	19990630
			WO 2000-CA770	W	20000630
NZ 516467	A	20040326	NZ 2000-516467		20000630
			CA 1999-2276798	A	19990630
			WO 2000-CA770	W	20000630

OS MARPAT 134:86547  
GI



AB 2-Aminoindane analogs I [R1, R2 = H or an acidic group selected from carboxy, phosphono, phosphino, sulfono, sulfinio, borono, tetrazolyl, isoxazolyl, -(CH2)n-carboxy, -phosphono, -phosphino, -sulfono, -sulfinio, -borono, -tetrazolyl, or -isoxazolyl, where n = 1-6; X is an acidic group selected from carboxy, phosphono, phosphino, sulfono, sulfinio, borono, tetrazolyl, or isoxazolyl; Y is a basic group selected from aliphatic or aromatic primary, secondary, or tertiary amino, quaternary ammonium salts, imidazolyl, guanidino, boronoamino, allyl, urea, or thiourea; m = 0 or 1; R3-6 = H, nitro, amino, halo, tritium, trifluoromethyl, trifluoroacetyl, sulfo, carboxy, carbamoyl, or sulfamoyl] or their stereoisomers or pharmaceutically acceptable salts were prepared as modulators of metabotropic glutamate receptors (mGluRs) for use in treating diseases of the central nervous system. Thus, 2-amino-2-carboxy-1-indaneacetic acid (cis and trans isomers) were prepared by a multistep procedure starting from 1,2-phenylenediacetonitrile. The cAMP assay showed that the cis isomer is a Group II/III mGluRs antagonist (EC50 = 1.2x10<sup>-9</sup> M) and the trans isomer is a Group II/III mGluRs agonist (EC50 = 1.1x10<sup>-7</sup> M).

RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN  
TI Synthesis of cyclic amino acids from dialdehydes and nitroacetates  
AN 1967:443458 CAPLUS  
DN 67:43458  
TI Synthesis of cyclic amino acids from dialdehydes and nitroacetates  
AU Zen, Shonosuke; Takeda, Yasuyo; Yasuda, Akiko; Umezawa, Sumio  
CS Kitasato Univ., Tokyo, Japan  
SO Bulletin of the Chemical Society of Japan (1967), 40(2), 431  
CODEN: BCSJA8; ISSN: 0009-2673  
DT Journal  
LA English  
OS CASREACT 67:43458  
GI For diagram(s), see printed CA Issue.

AB Treating equimolar amts. of dialdehydes, OHCRCHO, with nitroacetic esters C(NO<sub>2</sub>)-H<sub>2</sub>CO<sub>2</sub>R<sub>1</sub> in EtOH in the presence of NaOAc at 10° gave the cyclic nitro esters I (R<sub>2</sub> = NO<sub>2</sub>), which were hydrogenated with Raney Ni to the corresponding amino esters I (R<sub>2</sub> = NH<sub>2</sub>) and then hydrolyzed with Ba(OH)<sub>2</sub> to the title compds. I [R<sub>1</sub> = H, R = (CH<sub>2</sub>)<sub>3</sub>, R<sub>2</sub> = NH<sub>2</sub>] m. >300° (H<sub>2</sub>O), 89% yield. I prepared were [R, R<sub>1</sub>, R<sub>2</sub>, m.p. (solvent), and % yield given]: (CH<sub>2</sub>)<sub>3</sub>, Et, NO<sub>2</sub>, 95-7° (C<sub>6</sub>H<sub>6</sub>), 40; (CH<sub>2</sub>)<sub>3</sub>, PhCH<sub>2</sub>, NO<sub>2</sub>, 87-90° (-), -; o-C<sub>6</sub>H<sub>4</sub>, Et, NO<sub>2</sub>, 111-12° (C<sub>6</sub>H<sub>6</sub>), 71; (CH<sub>2</sub>)<sub>3</sub>, Et, NH<sub>2</sub> (II), 149-50° (AcOEt), 30; o-C<sub>6</sub>H<sub>4</sub>, Et, NH<sub>2</sub> 161-2.5 (-), -. Acetylation of II gave di-O-acetyl-2-acetamido-2-ethoxycarbonylcyclohexane-1,3-diol (III), m. 109-10°, with equatorial conformation for the acyl and acetamido groups (by N.M.R.). This was confirmed by synthesis of di-O-acetyl-2-acetamido-2-methylcyclohexane-1,3-diol (IV), m. 215-17°, obtained from the catalytic hydrogenation of 2-nitro-2-methylcyclohexane-1,3-diol, m. 135-6°, and acylation of the amino compound

=> logoff hold

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
7.55	336.63

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-1.46	-2.19

CA SUBSCRIBER PRICE

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 07:36:38 ON 28 FEB 2005